



1 Project Information

Project Title:	New EASE Focus Project
Date:	6 октября 2021 г.
Author:	
Temperature:	20,0°C
Pressure:	Standard (1010 hPa)
Humidity:	Standard (60%)
Mapping:	1000 Hz (3 Octaves) - A-Weighted




2 Sound Sources

	Label	Type	System	X [m]	Y [m]	Z [m]	Hor [°]	Ver [°]	Rot [°]
1	CMX20T	Loudspeaker	CMX20T	21,00	-15,50	3,00	180,0	-90,0	0,0
2	CMX20T 1	Loudspeaker	CMX20T	21,00	-12,30	3,00	180,0	-90,0	0,0
3	CMX20T 2	Loudspeaker	CMX20T	17,50	-12,30	3,00	180,0	-90,0	0,0
4	CMX20T 3	Loudspeaker	CMX20T	17,62	-15,50	3,00	180,0	-90,0	0,0
5	CMX20T 4	Loudspeaker	CMX20T	13,00	-12,30	3,00	180,0	-90,0	0,0
6	CMX20T 5	Loudspeaker	CMX20T	13,00	-15,50	3,00	180,0	-90,0	0,0
7	CMX20T 6	Loudspeaker	CMX20T	10,35	-12,30	3,00	180,0	-90,0	0,0
8	CMX20T 7	Loudspeaker	CMX20T	10,35	-15,50	3,00	180,0	-90,0	0,0
9	CMX20T 8	Loudspeaker	CMX20T	7,62	-12,30	3,00	0,0	-90,0	0,0
10	CMX20T 9	Loudspeaker	CMX20T	7,62	-15,50	3,00	0,0	-90,0	0,0


3 Distribution

Average: 95,9 dB \pm 2,1
 Average - Std. Dev.: 93,7 dB
 Average + Std. Dev.: 98,0 dB



4 Global Filter

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

5 Sound Source - CMX20T

System: CMX20T
 Company: Apart Audio
 Label: CMX20T
 Position: X=21,00 m
 Y=-15,50 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

6 Sound Source - CMX20T 1

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 1
 Position: X=21,00 m
 Y=-12,30 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

7 Sound Source - CMX20T 2

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 2
 Position: X=17,50 m
 Y=-12,30 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

8 Sound Source - CMX20T 3

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 3
 Position: X=17,62 m
 Y=-15,50 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

9 Sound Source - CMX20T 4

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 4
 Position: X=13,00 m
 Y=-12,30 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

10 Sound Source - CMX20T 5

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 5
 Position: X=13,00 m
 Y=-15,50 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

11 Sound Source - CMX20T 6

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 6
 Position: X=10,35 m
 Y=-12,30 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

12 Sound Source - CMX20T 7

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 7
 Position: X=10,35 m
 Y=-15,50 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=180,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

13 Sound Source - CMX20T 8

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 8
 Position: X=7,62 m
 Y=-12,30 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=0,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal




Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

14 Sound Source - CMX20T 9

System: CMX20T
 Company: Apart Audio
 Label: CMX20T 9
 Position: X=7,62 m
 Y=-15,50 m
 Z=3,00 m
 Orientation: Ver=-90,0°
 Hor=0,0°
 Rot=0,0°

Filter Status: Active
 Gain: 0,0 dB
 Delay: 0,000 ms
 Polarity: Normal



Filter Type	Frequency	Gain / Slope	Q Factor
No Active Filters			

Status
 No messages

15 Audience Zone - Audience Zone

Label: Audience Zone
Shape: Rectangle

Label	Length	Ear Height
Audience Area 1	19,47 m	1,20 m (Sitting)

